



43" Outdoor Portable digital signage

**All-new 4th Generation
New functions, new features**

Inheriting the exquisite craftsmanship and advanced special effects of this series, the appearance design is more beautiful, piano painting with drawing technology, ultra-thin border, only willing to create new visual impact for business



**Outdoor
waterproofing**



**Super
endurance**



**2000 Nits
highlight
configuration**



**Full frontal
protection**

————— New function —————



**Built-in
speaker**



**Interface full
hiding**

APP

**Mobile APP
control**

PnP

**Plug and
play**

43" Outdoor Portable digital signage



Stylish appearance

Outdoor chrysanthemum powder surface treatment combined with precision drawing process, super tough aluminum alloy outline crisp frame, high strength metal shell full protection. Reshape commercial aesthetics in the language of industrial art.

Waterproof protection

The housing is waterproof, which means that it can block all airborne dust and other particles and is not affected by any wet weather conditions, thus expanding the range of applicable environments.



Use in all kinds of weather

Very long running time

Powered by CATL's all-new lithium battery, this solution revolutionizes the way digital signage is used. This commercial-grade ultra-thin battery solution delivers over 12 hours of runtime (with slight reduction in sub-zero temperatures).



12 hours


Outdoor highlight 2000nits

Outdoor 2000nits brightness, the outdoor display effect is more clear, the color is gorgeous.



Battery indicator

Convenient indicator design that tells you exactly how much power is left in the battery for ultimate convenience.



Backpack

Integrated battery, power display, switch, charging interface, motherboard interface, network module, wheel and other functions



43" Outdoor Portable digital signage

A variety of screen controls

The new design supports mobile apps, USB sticks, Ethernet and Internet cloud control, allowing you to control video content with one click.

APP



Flash drive



Ethernet




Cloud control



Stereo speakers

The sound effect is greatly improved, not only beautiful but also waterproof.




43" Outdoor Portable digital signage

Equipment parameter

Item	Subproject	Fifty-five inchs TFT-LCD
Screen	Display screen	BOE IPS High TNI 105 °C
	Resolution	1920x1080 (FHD)
	Display area (mm)	941.184(H)x529.416 (V)
	Aspect ratio	9:16
	Luminance (cd/m ²)	2000
	Hue	16.7M
	Visual Angle	178°
	Contrast	4000:1
Main board	Touch	可选
	CPU	RK3566 with a maximum frequency of 1.8GHZ
	GPU	The Mall GS2 GPU supports OpenGL ES 1.1/2.0/32 and Opencl 1.2,Vulkan 1.1
	Internal	2G is standard, 4G is optional
	Built-in storage capacity	EMMC standard 16G optional 32G, TFCard expansion
	Network	Support RJ45 R/A 100 gigabit Ethernet, support Ethernet: support 2.4GHz, WIFI "support optional 5GHz), support WIFI802.11b/g/n protocol, support Bluetooth 4.2
	Operating system	Android 11
	Audio frequency	MP3,WMA,WAV, APE, FLAC, AAC, OGG,M4A,3GPP and other formats
	Video	Support H.265 , H.264 , VP8, MAV , WMV , AVS , H.263 , MPEG4 and other videos formats
	Picture	Various image formats such as JPG, BMP, PNG are supported
Battery	Battery technology	Ternary lithium battery
	Charging time	7 hours
	Working hours	12 hours (When the temperature is below 0 degrees, the running time is reduced by 10% for every 5 degrees drop)
	Battery capacity	5000mAh
	Input voltage	24V
	Energy consumption	1260WH
Screen	Appearance color	Black, white, (Color customizable)
	Body size (height* width*depth)mm	1242*586*214.5mm
	Package size (height* width*depth)mm	1342*706*264mm
	Net weight (Kg)	45KG
	Gross weight (Kg)	50KG
Environment	Operating temperature	-20 °C to 70 °C (when the battery is charged 0 °C to 45 °C)
	Storage temperature	-30 °C to 80 °C (battery recommended long-term strage temperature -20 °C to 25 °C)
	Operating humidity	10% to 80%
	Storage humidity	5% to 95%
Attachment	GPS and wheel lock	GPS可选
	Packaging accessories	GPS choosable
Maintenance	Warranty period	Remote control, manual, charger
	Warranty (Battery)	One year
	Technical support	One year

43" Outdoor Portable digital signage

Product dimensions



Packing measurement

